

Serial Number: 10/010,361

Art Unit: 3676

Clean copy of amended claims 1 , 9 and 10

---

B2 1. Apparatus comprising:

a handle having a key;

a piston having a bore;

a cam having first and second ends held by a cap for rotation in the bore, one of the first and second ends having a keyway capable of receiving the key;

a protuberance carried by one of the key and the cam at the keyway;

a detachably engageable recess carried by the other of the key and the cam; and

an attached spring acting on the protuberance biasing it one of:

a) away from the key; and

b) into the keyway.

---

Serial Number: 10/010,361

Art Unit: 3676

B3 9. Apparatus comprising:

a handle having a key;

a piston attached to an axle mounted to a hub, the piston having a bore;

a cam having first and second ends held by a cap for rotation in the bore, one of the first and second ends having a keyway capable of receiving the key;

a protuberance carried by one of the key and the cam at the keyway;

a detachably engageable recess carried by the other of the key and the cam; and

an attached spring acting on the protuberance biasing it one of:

a) away from the key; and

b) into the keyway.

Serial Number: 10/010,361

Art Unit: 3676

---

B4 15. Apparatus comprising:

a handle having a key;

a piston attached to an axle mounted to a hub attached to a bicycle wheel, the piston having a bore;

a cam having first and second ends held by a cap for rotation in the bore, one of the first and second ends having a keyway capable of receiving the key;

a protuberance carried by one of the key and the cam at the keyway;

a detachably engageable recess carried by the other of the key and the cam; and

an attached spring acting on the protuberance biasing it one of:

a) away from the key; and

b) into the keyway.

---